

FourMe® 11

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



FourMe® 11

Design by Strand + Hvass

Product options

VARIATIONS

- Bio-polypropylene shell
- Seat pad
- Inside upholstery
- Fully upholstered

Polymide glides as standard

OPTIONAL

Felt glides
Teflon glides
Noise reducing glides
Return mechanism
Soft castors (fixed cone without swivel/return mechanism)

SHELL COLOUR

● Ebony Black
NCS S 9000-N

● Anthracite
RAL 7015

● Aqua
NCS S 4020-B

● Beach
NCS S 2502-Y

FRAME COLOUR

● Mat Black
RAL 7021

● Stone Grey
RAL 7039

● Mat white
RAL 9010

● Chrome

ACCESSORIES

Loose seat pad

UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.



Introducing the FourMe® 11, a refined designer office chair suitable for both formal and informal spaces. Renowned for its exceptional comfort, this chair's soft-grip shell is crafted from a bio-composite material reinforced with visible wood fibers, creating a unique tactile experience. Beyond its comfort, the FourMe® 11 offers versatile functionality, seamlessly fitting into diverse work environments. Its understated yet distinct design, coupled with its durability, makes it an exemplary choice for those seeking sophistication in their workspace. Tailored for a universal audience, the FourMe® 11 stands as a testament to the seamless integration of comfort, functionality, and aesthetic appeal in a professional setting.

Technical specifications

WEIGHT

Polypropylene shell:
6.4 kg

Seat pad:
7.3 kg

Inside upholstery:
6.8 kg

Fully upholstery:
7 kg

TEST

EN 1021-1:2014

Materials

SHELL

Bio Composite: Wood Plastic Composite with wood fibre (min. 20 %).

FOAM & GLUE

CMHR-65H Foam and Glue (SABA Activator 3739, Aquabond RSD 3801 blue).

FOAM THICKNESS

Seat upholstery: 15 mm.
Inside upholstery: 15 mm.
Fully upholstery: 20/10/5 mm.

FRAME, STEEL

Tube: Ø20 X 2 mm, Ducol 500
Glides (standard): PA
Lock: ABS


CASTORS, SOFT

Ø50 mm, Plastic (PA6 + PUR TBE) black RAL 9005 - grey RAL 7022, neck dia. 22mm.


For safety reasons, the chair's soft castors will be locked when not in use.

Dimensions


FourMe® 11
Polypropylene shell




FourMe® 11
Seat pad




FourMe® 11
Inside upholstery



FourMe® 11
Fully upholstery




FourMe® 11
Polypropylene shell
with castors




Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.


FOURME 11 BIO-PP SHELL




FOURME 11 BIO-PP SHELL SEAT PAD



FOURME 11 BIO-PP SHELL INNER UPHOLSTERED



FOURME 11 BIO-PP SHELL FULLY UPHOLSTERED



📊 CARBON FOOTPRINT

The carbon footprint (CO₂e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

🪡 UPHOLSTERY

Please note that fabric is not included in the above figures.

Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceeandfour.com](https://oceeandfour.com) ↗

COMPANY CERTIFICATIONS
ISO 9001
ISO 14001
FSC Chain of Custody
(License Code: FSC-C161956) FISP Full Membership

WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly

recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.