

# FourMe® Lounge

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



# FourMe® Lounge

Design by Strand + Hvass

## Product options

### VARIATIONS

- Bio-polypropylene shell
- Seat pad
- Inside upholstery
- Fully upholstered

Polymide glides as standard

### OPTIONAL

- Felt glides
- Return mechanism

### ACCESSORIES

- Loose seat pad

### UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.



### SHELL COLOUR

- Ebony Black  
NCS S 9000-N
- Anthracite  
RAL 7015
- Aqua  
NCS S 4020-B
- Beach  
NCS S 2502-Y

### FRAME COLOUR

- Mat Black  
RAL 7021
- Stone Grey  
RAL 7039
- Aluminium
- Mat White  
RAL 9010

Envision the ideal reception chair for your waiting area – a space where guests can relax and enjoy their wait. FourMe® Lounge strikes the perfect balance between corporate necessity and informal elegance, making it the ideal choice for your lobby or lounge area. The modern reception chair features a clean design and excellent functionality in its base, complemented by a soft-grip surface on the shell, ensuring a high level of comfort for your guests.

## Technical specifications

### WEIGHT

Polypropylene shell, with tilt:  
7.4 kg

Seat pad, with tilt:  
8.3 kg

Inside upholstery, with tilt:  
8 kg

Fully upholstery, with tilt:  
7.9 kg

### TEST

EN 1021-1:2014

## Materials

### SHELL

Bio Composite: Wood Plastic Composite with wood fibre (min. 20 %).

### FOAM & GLUE

CMHR-65H Foam and Glue (SABA Activator 3739, Aquabond RSD 3801 blue).

### FOAM THICKNESS

Seat upholstery: 15 mm.  
Inside upholstery: 15 mm.  
Fully upholstery: 20/10/5 mm.

### FRAME, STEEL

Rockerbox (covers the tilt mechanism):  
Aluminium ADC-12


Rubber chocks:

Natural rubber


Glides (standard): PA

## Dimensions


FourMe® Lounge  
Polypropylene shell




FourMe® Lounge  
Seat pad



FourMe® Lounge  
Inside upholstery



FourMe® Lounge  
Fully upholstery



## Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

### FOURME LOUNGE BIO-PP SHELL



#### RECYCLED CONTENT

1%

#### RECYCLABILITY


99%

#### CARBON FOOTPRINT

198

Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



Steel (24%)  
Aluminum (28%)  
Plastic (48%)

### FOURME LOUNGE BIO-PP SHELL SEAT PAD



#### RECYCLED CONTENT

1%

#### RECYCLABILITY


97%

#### CARBON FOOTPRINT

206

Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



Steel (21%)  
Aluminum (24%)  
Plastic (54%)  
Foam (1%)

### FOURME LOUNGE BIO-PP SHELL INNER UPHOLSTERED



#### RECYCLED CONTENT

1%

#### RECYCLABILITY


91%

#### CARBON FOOTPRINT

223

Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



Steel (22%)  
Aluminum (25%)  
Plastic (45%)  
Foam (7%)  
Upholstery (1%)

### FOURME LOUNGE BIO-PP SHELL FULLY UPHOLSTERED



#### RECYCLED CONTENT

1%

#### RECYCLABILITY


91%

#### CARBON FOOTPRINT

224

Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



Steel (22%)  
Aluminum (25%)  
Plastic (45%)  
Foam (7%)  
Upholstery (1%)

#### CARBON FOOTPRINT

The carbon footprint (CO<sub>2</sub>e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

#### UPHOLSTERY

Please note that fabric is not included in the above figures.

---

## Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceeandfour.com](https://oceeandfour.com) ↗

**COMPANY CERTIFICATIONS**  
ISO 9001  
ISO 14001  
FSC Chain of Custody (License Code: FSC-C161956) FISP Full Membership

### WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

### INSTRUCTIONS

Assembly instructions can be found at our website.

### MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

### DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly

recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.