



Product Service

CERTIFICATE

No. Z1A 114659 0003 Rev. 01

Holder of Certificate: **Four Design ApS**

Lucernemarken 17-19
5260 Odense S
DENMARK

Certification Mark:



Product:

Visitor chairs
Swivel chairs for general use

Tested according to:

DIN EN 16139:2014
AfPS GS 2019:01 PAK

With this certificate, in its capacity as a notified GS body, TÜV SÜD Product Service GmbH issues the GS Mark to the named certificate holder for the declared product with the named model designation in accordance with section 20 ProdSG (German Product Safety Act). The product meets the safety and health requirements of section 20 (3) ProdSG. The manufacturer is reminded of their obligations in accordance with section 24 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 713231323-3 Rev.01

Valid until: 2025-07-15

Date, 2022-03-18

(Ulrich Sommer)

CERTIFICATE

No. Z1A 114659 0003 Rev. 01

Model(s): FourMe 66

Parameters:

Dimension (height x width x depth) [mm]:	min. 775 / max. 910 x 770 x 770
Weight [kg]:	8.2 kg
Seat height at point A [mm]:	min. 385 / max. 520
Seat width [mm]:	430 min.
Seat depth [mm]:	465
Backrest width [mm]:	450
Backrest height above point A [mm]:	390
Armrest width [mm]:	35 max.
Height of the armrest above the seat [mm]:	230
Clear width between the armrests [mm]:	490 max.
Material seating area:	plastic
Material frame:	metal coated
General description:	<ul style="list-style-type: none"> - 5-star aluminium base - Castor's type "W" or "H" - Seat fixed or with permanent inclination - Seat height adjustable by mean of gas spring, model STAB-O-MAT "D" 892925 300 N - Seat shell made of plastic, optional upholstered - Seat mechanism made of steel tube Ø16 x 2.0 mm, flat steel 3 mm, connections welded, with hand lever for seat height adjustment - optional: writing tablet InnoTab