

FourSure® Audi

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



FourSure® Audi

Design by Strand + Hvass

Product options

VARIATIONS

- Polypropylene shell
- Seat pad
- Fully upholstered

ACCESSORIES

Writing tablet B or C incl.
cup & coat hook
Inno®Tab

OPTIONAL

Gas lift including footring
(seat height 46-53 cm.)
Return function

UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.

SHELL COLOUR

 Ebony Black NCS S 9000-N	 Snow RAL 9010
 Anthracite RAL 7015	 Beach NCS S 2502-Y
 Pine NCS S 5005-B80G	 Olive NCS S 2040-G80Y
 Moss NCS S 5010-G70Y	 Orange NCS S 2070-Y70R
 Terracotta NCS S 4510-Y60R	 Oriental Red NCS S 1580-R
 Clay NCS S 6005-Y10R	 Jungle green NCS 4050-G40Y
 Aqua NCS S 4020-B	

FRAME COLOUR

-  Black

WRITING TABLET B + C



TABB
585x308mm
Anthracite / White




TABC
475x278mm
Anthracite / White

INNO®TAB



TABB
502x320x23mm
Black



The FourSure® Audi is meticulously crafted for auditoriums and university settings, offering a fixed seating solution that prioritises stability and comfort. Its pliant backrest provides a balance of robustness and flexibility, ensuring extended periods of learning remain comfortable. It's available with a patented adjustable writing tablet and a swivel return function, this chair is designed to enhance accessibility and facilitate easy movement. With its combination of steadfast structure and ergonomic excellence, the FourSure® Audi is an invaluable addition to educational spaces, promising an elevated learning experience for students.

Technical specifications

WEIGHT

Polypropylene shell
9,1 kg

Seat pad:
9,6 kg

Fully upholstery
11,8 kg

TABLETS

Tablet B:
1,5 Kg

Tablet C:
1 Kg.

Inno®Tab:
2,7 Kg.

TEST

EN 1021-1:2006

Materials

SHELL

Polypropylene with reinforced glass fibre (Skin: 15%, core: 40%), recyclable.

FOAM & GLUE

CMHR-65H Foam and Glue (SABA Activator 3739, Aquabond RSD 3801 blue).

FOAM THICKNESS

Seat upholstery: 15 mm.
Fully upholstery: 20/10/5 mm.

FRAME


Frame: St. 37
Lock: ABS/Pa6
Rockerbox (covers the tilt mechanism):
Aluminium ADC-12

UPHOLSTERY PROTECTION


ABS

Dimensions


FourSure® Audi, Polypropylene shell with gas and Tablet C




FourSure® Audi with gas









FourSure® Audi, with tablet C



FourSure® Audi, Fully upholstery



Writing tablets and Inno®Tab




Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

FOURSURE AUDI PP SHELL (NO INNOTAB)



RECYCLED CONTENT




RECYCLABILITY



CARBON FOOTPRINT

76
Kg CO₂e per unit


MATERIAL BREAKDOWN




FOURSURE AUDI PP SHELL SEAT PAD (NO INNOTAB)



RECYCLED CONTENT




RECYCLABILITY



CARBON FOOTPRINT

86
Kg CO₂e per unit

MATERIAL BREAKDOWN




FOURSURE AUDI PP SHELL FULLY UPHOLSTERED (NO INNOTAB)



RECYCLED CONTENT




RECYCLABILITY



CARBON FOOTPRINT

84
Kg CO₂e per unit

MATERIAL BREAKDOWN



CARBON FOOTPRINT

The carbon footprint (CO₂e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

UPHOLSTERY

Please note that fabric is not included in the above figures.

Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceeandfour.com](https://oceeandfour.com) ↗

COMPANY CERTIFICATIONS
ISO 9001
ISO 14001
FSC Chain of Custody (License Code: FSC-C161956) FISP Full Membership

WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly

recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.