

FourMe® Lounge

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



FourMe® Lounge

Design by Strand + Hvass

Product options

VARIATIONS

- Bio-polypropylene shell
- Seat pad
- Inside upholstery
- Fully upholstered

Polymide glides as standard

OPTIONAL

Felt glides
Return mechanism

ACCESSORIES

Loose seat pad

UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.



SHELL COLOUR

● Ebony Black
NCS S 9000-N

● Anthracite
RAL 7015

● Aqua
NCS S 4020-B

● Beach
NCS S 2502-Y

FRAME COLOUR

● Mat Black
RAL 7021

● Stone Grey
RAL 7039

● Aluminium

● Mat White
RAL 9010

Envision the ideal reception chair for your waiting area – a space where guests can relax and enjoy their wait. FourMe® Lounge strikes the perfect balance between corporate necessity and informal elegance, making it the ideal choice for your lobby or lounge area. The modern reception chair features a clean design and excellent functionality in its base, complemented by a soft-grip surface on the shell, ensuring a high level of comfort for your guests.

Technical specifications

WEIGHT

Polypropylene shell, with tilt:
7.4 kg

Seat pad, with tilt:
8.3 kg

Inside upholstery, with tilt:
8 kg

Fully upholstery, with tilt:
7.9 kg

TEST

EN 1021-1:2014

Materials

SHELL

Bio Composite: Wood Plastic Composite with wood fibre (min. 20 %).

FOAM & GLUE

CMHR-65H Foam and Glue (SABA Activator 3739, Aquabond RSD 3801 blue).

FOAM THICKNESS

Seat upholstery: 15 mm.
Inside upholstery: 15 mm.
Fully upholstery: 20/10/5 mm.


FRAME, STEEL

Rockerbox (covers the tilt mechanism):
Aluminium ADC-12


Rubber chocks:
Natural rubber
Glides (standard): PA

Dimensions


FourMe® Lounge
Polypropylene shell




FourMe® Lounge
Seat pad



FourMe® Lounge
Inside upholstery



FourMe® Lounge
Fully upholstery



Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

FOURME LOUNGE BIO-PP SHELL



RECYCLED CONTENT

1%

RECYCLABILITY


99%

CARBON FOOTPRINT

198

Kg CO₂e per unit

MATERIAL BREAKDOWN



Steel (24%)
Aluminum (28%)
Plastic (48%)

FOURME LOUNGE BIO-PP SHELL SEAT PAD



RECYCLED CONTENT

1%

RECYCLABILITY


97%

CARBON FOOTPRINT

206

Kg CO₂e per unit

MATERIAL BREAKDOWN



Steel (21%)
Aluminum (24%)
Plastic (54%)
Foam (1%)

FOURME LOUNGE BIO-PP SHELL INNER UPHOLSTERED



RECYCLED CONTENT

1%

RECYCLABILITY


91%

CARBON FOOTPRINT

223

Kg CO₂e per unit

MATERIAL BREAKDOWN



Steel (22%)
Aluminum (25%)
Plastic (45%)
Foam (7%)
Upholstery (1%)

FOURME LOUNGE BIO-PP SHELL FULLY UPHOLSTERED



RECYCLED CONTENT

1%

RECYCLABILITY


91%

CARBON FOOTPRINT

224

Kg CO₂e per unit

MATERIAL BREAKDOWN



Steel (22%)
Aluminum (25%)
Plastic (45%)
Foam (7%)
Upholstery (1%)



CARBON FOOTPRINT

The carbon footprint (CO₂e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.



UPHOLSTERY

Please note that fabric is not included in the above figures.

Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceefour.com](https://oceefour.com) ↗

COMPANY CERTIFICATIONS
ISO 9001
ISO 14001
FSC Chain of Custody
(License Code: FSC-C161956) FISP Full Membership

WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly

recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.