FourReal[®] A XL

Design by Studio Ocee





FourReal® A XL (74/90)

Design by Studio Ocee

Product options

VARIATIONS

Integrated castors on two legs:

H74. 180x100 cm 200x100 cm 240x100 cm

Extension H 74: 180x100 cm 200x100 cm 240x100 cm

H 90: 180x100 cm 200x100 cm 240x100 cm

Extension H 90: 180x100 cm 200x100 cm 240x100 cm

> Stone Grey RAL 7039

ACCESSORIES Chair suspension

Flower box 60x16 cm Flower box 80x16 cm Top shelf 60x20.5 cm Tray, Standing Acoustic Panels Power cube Electrical units



TABLE TOP FINISHES White Laminate White Decor W980 W980 Light Grey Egger Light Grey Egger U763 Laminate U763 Decor Grey Egger Grey Egger U732 Laminate U732 Decor Warm Grey Arpa Anthracite Arna Fenix Nano 0718 Fenix Nano 0724 Black Arpa Black Fenix Nano 0720 4023 Linoleum FRAME COLOUR Mat Black Mat white RAL 9010 RAL 7021

FourReal® A XL table sparks conversations and stands out as the ideal choice for collaborative or focused work. Versatile for communal activities, dining, or meetings, its larger dimensions accommodate more people, paperwork, and computers. Despite its size, this table maintains durability, mobility, and reliability. You can effortlessly extend the FourReal® A XL table for added length, providing a seamless solution for a longer workspace.



WEIGHT

H74: 180x100 cm: 69,4 kg 200x100 cm: 74,4 kg 240x100 cm: 84,4 kg

Extension H 74: 180x100 cm: 58,7 kg 200x100 cm: 63,6 kg 240x100 cm: 77,5 kg

H 90: 180x100 cm: 69,4kg 200x100 cm: 74,4 kg 240x100 cm: 84,4 kg

Extension H 90: 180x100 cm: 58,7 kg 200x100 cm: 63,6 kg 240x100 cm: 77,5 kg CHAIR SUSPENSION Maximum qty pr. size:

200 x 100 cm: 6 set 240 x 100 cm: 8 set TEST

EN 15372:2016 - L2

180 x 100 cm: 6 set

CERTIFICATION

Compliant with TSCA Title VI

Materials

TABLE TOP

Decor: Chip board with decor laminate and ABS-edge. Thickness: 19 mm.

Laminate: Chip board with high-pressure laminate or Fenix laminate and ABS-edge. Thickness 20 mm.

Linoleum: Chip board with linoleum and ABS-edge. Thickness 21 mm.

FRAME, STEEL Powder coated steel frame.


Legs: Ø32 x 2.5 mm, S235 steel, EN 10305-3 F300C

Beam: 80x50x1.5 mm RHS profile beam, S235 steel


Gliders and gliders with integrated castors: LDPE

Dimensions


FourReal® A XL 74, 180 x 100 cm



FourReal® A XL 74, 200 x 100 cm




Extension, FourReal® A XL 74, 180 x 100 cm




Extension, FourReal® A XL 74, 200 x 100 cm


ocee [®] four




FourReal® A XL 74, 240 x 100 cm




FourReal® A XL 90, 180 x 100 cm




FourReal® A XL 90, 200 x 100 cm




FourReal® A XL 90, 240 x 100 cm




Extension, FourReal® A XL 74, 240 x 100 cm




Extension, FourReal® A XL 90, 180 x 100 cm



Extension, FourReal® A XL 90, 200 x 100 cm




Extension, FourReal® A XL 90, 240 x 100 cm



Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

FOURREAL A XL 74 1800X1000



Kg CO₂e per unit

CARBON FOOTPRINT

The carbon footprint (CO₂e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on <u>Oceefour.com</u> 7

COMPANY

CERTIFICATIONS ISO 9001 ISO 14001 FSC Chain of Custody (License Code: FSC-C161956) FISP Full Membership

WARRANTY

RECYCLABILITY

60%

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion durina use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE Refer to our Maintenance Guide A

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.

Steel (59%)

Plastic (1%)

