FourSure® 88

Design by Strand + Hvass





FourSure®88

Design by Strand + Hvass

Product options

VARIATIONS

- · Polypropylene shell
- · Seat pad
- · Inside upholsterv
- · Fully upholstered
- · Outdoor
- · EU Ecolabel

Polymide glides as standard

OPTIONAL

Felt glides Teflon glides Noise reducing glides Armrest Grip hole

ACCESSORIES

Inno®Note Seat row number Linking device on frames or under seat

UPHOLSTERY


Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.



SHELL COLOUR







Moss NCS S 5010-G70Y

Terracotta NCS S 4510-Y60R

Clay NCS S 6005-Y10R

Aqua NCS S 4020-B Snow RAL 9010



Olive NCS S 2040-G80Y

Orange NCS S 2070-Y70R

Oriental Red NCS S 1580-R

> Jungle green NCS 4050-G40Y

FRAME COLOUR

Mat Black RAL 7021

Stone Grey RAL 7039

Anthracite RAL 7024 gl.5

Chrome

Pine IGP 591 TA 79407 R10

Moss IGP 591 TA 64445 R10

Terracotta IGP 591 TA 83991 R10

Clay IGP 591 TA 79406 R10 Mat white RAL 9010

Beach IGP 681 TA 77644 A 00

Olive RAL 7042 gl. 5

Orange IGP 681 TA 21349 A 00

Oriental Red IGP 581 TA 33080 A 00

Jungle green IGP 681 TA 64014 A 00

Aqua S4020-B IGP 581 TA 52240 A 00 Introducing the FourSure® 88: a stackable chair designed with precision and a keen eye for detail. This chair is not only robust but also incredibly versatile. Easily stackable, it can be conveniently stored and retrieved whenever additional seating is required. With a wide array of captivating color combinations available, the FourSure® 88 has the power to inject life and personality into any space. Its slender skid frame, organic contours, and smooth surface make it a standout piece in any environment. Elevate your seating experience with the FourSure® 88 stackable chair where form meets function in perfect harmony.



Technical specifications

WEIGHT

Polypropylene shell: 6 kg.

Seat pad:

Seat pad 6,8 kg.

Inside upholstery:

7,2 kg.

Fully upholstered: 6,6 kg.

Polypropylene shell with armrest: 6,7 kg.

TEST

EN 16139:2013 -L2 EN 1022:2005 EN 1021 - 1:2006 AFPS GS 2019:01 PAK ANSI/BIFMA X5.1-2017

CERTIFICATION

Crafted from FSC certifed

oak veneer.

STACKING QTY ON FLOOR

Without upholsetry: 12 pcs. Seat upholstery: 10 pcs.

Materials

SHELL

Polypropylene with reinforced glass fibre (Skin: 15%, core: 40%), recyclable.

SHELL UPHOLSTERY

9-11 layer veneer beechwood (12 mm). Glue veneer: Gasco Adhesive 1272.

FOAM & GLUE

CMHR-65H Foam and Glue (SABA Activator 3739, Aquabond RSD 3801 blue).

FOAM THICKNESS

Seat upholstery: 15 mm. Inside upholstered: 15 mm. Fully upholstered: 20/10/5

FRAME, STEEL

Tube: Ø11 mm Glides (standard): PA Lock: ABS/Pa6

UPHOLSTERY PROTECTION

ABS

Dimensions


FourSure® 88, Polypropylene


shell

FourSure® 88 with seat pad

FourSure® 88, Polypropylene shell, with armrest









Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

FOURSURE 88 PP SHELL






PECYCLABILITY 99%

CARBON FOOTPRINT

48Kg CO,e per unit

MATERIAL BREAKDOWN



FOURSURE 88 PP SHELL SEAT PAD



RECYCLED CONTENT


9%

RECYCLABILITY
90%

CARBON FOOTPRINT

55 Kg CO_2 e per unit

MATERIAL BREAKDOWN



FOURSURE 88 PP SHELL INNER UPHOLSTERED



RECYCLED CONTENT


RECYCLABILITY
88%

8%

CARBON FOOTPRINT

60 Kg CO,e per unit

MATERIAL BREAKDOWN



FOURSURE 88 PP SHELL FULLY UPHOLSTERED




RECYCLED CONTENT

9%
RECYCLABILITY
95%

CARBON FOOTPRINT

55

MATERIAL BREAKDOWN



CARBON FOOTPRINT

The carbon footprint (CO_2e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

UPHOLSTERY

Please note that fabric is not included in the above figures.



Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on Oceefour.com A

COMPANY CERTIFICATIONS

ISO 9001 ISO 14001 FSC Chain of Custody (License Code: FSC-C161956) FISP Full Membership

WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE Refer to our

Maintenance Guide ↗

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.

