

FourSure® 99

Design by Strand + Hvass



FourSure® 99

Design by Strand + Hvass

Product options

VARIATIONS

- Polypropylene shell
- Seat pad
- Inside upholstery
- Fully upholstered

OPTIONAL

Felt glides
Teflon glides
Soft castors
Return mechanism
With tilt

UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.

SHELL COLOUR

 Ebony Black NCS S 9000-N	 Snow RAL 9010
 Anthracite RAL 7015	 Beach NCS S 2502-Y
 Pine NCS S 5005-B80G	 Olive NCS S 2040-G80Y
 Moss NCS S 5010-G70Y	 Orange NCS S 2070-Y70R
 Terracotta NCS S 4510-Y60R	 Oriental Red NCS S 1580-R
 Clay NCS S 6005-Y10R	 Jungle green NCS 4050-G40Y
 Aqua NCS S 4020-B	

FRAME COLOUR

 Aluminium	 Mat Black RAL 7021
 Stone Grey RAL 7039	 Mat White RAL 9010



Experience the perfect blend of design and comfort with the FourSure® 99. This versatile conference chair offers a V-shaped backrest, adaptable shell, and integrated tilt mechanism. Its refined starbase and elegant shell elevate the design to a new level of sophistication. Enjoy the benefits of a fixed office chair without wheels for added stability and style.

Technical specifications

WEIGHT

Polypropylene shell, with gas:
7,7 kg
Seat pad, with gas:
8,6 kg
Inside upholstery, with gas:
9 kg
Fully upholstery, with gas:

7,5kg

Polypropylene shell, with gas
and loop armrest:
9,5 kg

TEST

EN 16139:2013 - L1
EN 1021-1:2014

Materials

SHELL

Polypropylene with
reinforced glass fibre
(Skin: 15%, core: 40%),
recyclable.

FOAM & GLUE

CMHR-65H Foam and
Glue (SABA Activator 3739,
Aquadbond RSD 3801 blue).

FOAM THICKNESS

Seat upholstery: 15 mm.
Inside upholstery: 15 mm.
Fully upholstery: 20/10/5 mm.

FRAME, STEEL

Base: Aluminium
Rockerbox (covers the tilt
mechanism): Aluminium
ADC-12
Rubber chocks:
Natural rubber
Glides (standard): PA

UPHOLSTERY

PROTECTION
ABS

CASTORS, SOFT


Ø52 mm with unloaded
break*. Black PE and PA6,
steel and polished
aluminium.

**For safety reasons, the
chair's soft castors will be
locked when not in use.*


*Please note: If you wish to
have a chair equipped with
both castors and a gas lift, it
will come with a 5-star base.*

Dimensions


FourSure® 99
Polypropylene shell




FourSure® 99
Seat pad



FourSure® 99
Inside upholstery



FourSure® 99
Fully upholstery



Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

FOURSURE 99 INNER UPHOLSTERED



RECYCLED CONTENT

3%

RECYCLABILITY


84%

CARBON FOOTPRINT

205

Kg CO₂e per unit

MATERIAL BREAKDOWN



FOURSURE 99 FULLY UPHOLSTERED



RECYCLED CONTENT

4%

RECYCLABILITY


89%

CARBON FOOTPRINT

216

Kg CO₂e per unit

MATERIAL BREAKDOWN



CARBON FOOTPRINT

The carbon footprint (CO₂e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology and are obtained using the MALBAR screening tool.

UPHOLSTERY

Please note that fabric is not included in the above figures.

Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceefour.com](https://oceefour.com) ↗

COMPANY CERTIFICATIONS

ISO 9001
ISO 14001
FSC Chain of Custody
(License Code: FSC-C161956) FISP Full Membership

WARRANTY

Ocee & Four Design provides a 5-year warranty on all products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

INSTRUCTIONS

Assembly instructions can be found at our website.

MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly

recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.